Seminar Advanced Topics in Animation

Matthias Teschner

UNI FREIBURG

Outline

- Introduction
- Organization
- Presentation
- Topics
- Summary

Computer Graphics



CGMeetup: CGI VFX Breakdown HD "Making of Share a Coke Vfx by ARMA" | CGMeetup. [Youtube]

University of Freiburg – Computer Science Department – 3

UNI FREIBURG

Graphics Courses

- Key course
 - Image processing and computer graphics (modeling, rendering, simulation)
- Specialization courses
 - Advanced computer graphics (global illumination)
 - Simulation in computer graphics (solids and fluids)
- B.Sc. / M.Sc. project, lab course, B.Sc. / M.Sc. thesis
 - Simulation track, rendering track
 - By appointment per email, semester-aligned

Seminars / Projects / Theses

Semester	Simulation Track	Rendering Track
Winter	Simulation Course	
Summer	Key Course Lab Course - Simple fluid solver Simulation Seminar	Key Course Lab Course - Simple Ray Tracer Rendering Seminar
Winter	Master Project - PPE fluid solver Rendering Seminar	Rendering Course Master Project - Monte Carlo RT Simulation Seminar
Summer	Master Thesis Research-oriented topic	Master Thesis Research-oriented topic

Gissler et al., ACM Transactions on Graphics, 2019



Band et al., Computer Graphics Forum, 2020. Cooperation with FIFTY2 Technology GmbH.

Outline

- Introduction
- Organization
- Presentation
- Topics
- Summary

Requirements

- Oral presentation of an animation topic

- English / German
- Slides should be in English
- Written report
 - English / German

Goal

- Familiarize yourself with a topic
- Prepare a comprehensible presentation
- Presentation should be based on scientific publications
 - Do not just reproduce the material
 - Adapt the organization and the focus of the material in order to get a comprehensible presentation

Presentations

- Take place at the same time and in the same room as the introduction
 - Announced in the course catalog and on our web page https://cg.informatik.uni-freiburg.de/teaching.htm
 - Advanced Topics in Animation
 - Schedule
- Attendance is mandatory

Report and Submissions

- Written report (approx. 10 pages)
- Submission of presentation slides and written report in two separate PDF files
 - YourLastName_report.pdf
 - YourLastName_presentation.pdf
- Per email to Prof. Teschner
- Until the last day of lectures of the semester

Consultations

- Voluntary
- Requested per email
- General discussion of the outline
- Content questions
- Discussion of the fully prepared presentation
- Not later than one week prior the presentation

Registration

Check for available topics and dates

- https://cg.informatik.uni-freiburg.de/teaching.htm
 - Advanced Topics in Animation

– Schedule / Topics

- Send an email to Prof. Teschner with your registration request stating name, topic, date, matriculation number
- Do not forget to check your registration in the campus management system

Outline

- Introduction
- Organization
- Presentation
- Topics
- Summary

Presentation

- 25 min 35 min per presentation
- 10 min 15 min discussion
 - Technical questions
 - Form of the presentation
- Example presentation and example report on our web page

Preparation

- Know your topic
 - Examine relevant material thoroughly
 - Do not try to circumvent problems
- Create slides
 - Allow 1 to 2 minutes per slide
 - Slides should be uniform and not too dense
 - Incorporate illustrations, slide titles should be helpful
- Rehearse your presentation
 - Gather feedback, adapt your presentation accordingly

Presentation

- Introduction
 - Introduce yourself and the title of your presentation
- Overview
 - Give an idea, but not too detailed
- Motivation
 - Illustrate the principle and / or applications
 - Explain the goal of your presentation
 - The audience should be eager to listen your presentation

Presentation

- Results
 - Discuss capabilities, properties, benefits, drawbacks
- Main part
 - Should consist of distinguished sections
 - Separate different sections of the presentation explicitly
 - Each section should be introduced and summarized
- Summary
 - Tell the audience what you have told them
 - Ask for questions

University of Freiburg – Computer Science Department – 20



Third-party material has to be labeled

Good



Good

Simulation, ACM Transactions on Graphics (Proc. SIGGRAPH 2020), vol. 39, no. 4, pp. 1-16, August 2020.]

Bad

Bibliography

- Examples
 - [1] C. Gissler, A. Henne, S. Band, A. Peer, M. Teschner, An Implicit Compressible SPH Solver for Snow Simulation, ACM Transactions on Graphics (Proc. SIGGRAPH 2020), vol. 39, no. 4, pp. 1-16, August 2020.
 - [Gissler et al. 2020] C. Gissler, A. Henne, S. Band, A. Peer, M. Teschner,
 "An Implicit Compressible SPH Solver for Snow Simulation", ACM TOG, 2020.

– General form

 [...] Authors; Title of the material; Name of journal, conference, book, thesis, tutorial, web page, date.

– Wrong form

[1] https://cg.informatik.uni-freiburg.de/publications/2020_SIGGRAPH_snow_v6.pdf

Presentation

- Check the presentation environment prior to the presentation
- Avoid idiosyncrasies
- Stay in time

Outline

- Introduction
- Organization
- Presentation
- Topics
- Summary

Information

- https://cg.informatik.uni-freiburg.de/
 - Teaching
 - Advanced Topics in Animation
 - Schedule / Topics

Topics - Example

Neighbor Search in SPH Fluids

The neighbor search in SPH simulations is an expensive task. That's why, spatial data structures are investigated to accelerate the search. While the typically employed concept of a uniform grid is simple, its implementation offers some degrees of freedom with significant performance differences ...

Sources:

https://cg.informatik.uni-freiburg.de/intern/seminar/ animation - SPH dataStructures - 2019.pdf https://cg.informatik.uni-freiburg.de/intern/seminar/ animation - SPH survey - 2019.pdf

Topics

– Concepts

Smoothed Particle Hydrodynamics, Material Point Method, Grid simulation, Position Based Dynamics, Rigid bodies

- Basics

Continuum mechanics, numerical integration

Data Structures

Space subdivision, Bounding volume hierarchies

Particle Simulation

- Particles
 - Are small parts of solids and fluids with mass m
 - Move over time t with changing position $\boldsymbol{x}(t)$ and velocity $\boldsymbol{v}(t)$ due to forces F(t)
- Motion governed by $\boldsymbol{F}(t) = m \frac{\mathrm{d}\boldsymbol{v}(t)}{\mathrm{d}t} = m \frac{\mathrm{d}^2 \boldsymbol{x}(t)}{\mathrm{d}t^2}$ Numerical integration to approximate $\boldsymbol{x}(t)$ and $\boldsymbol{v}(t)$ University of Freiburg – Computer Science Department – 28



Fluid body

Fluid particles





Peer et al., Computer Graphics Forum, 2018.

Particle Simulation

– Which material? What is a deformation?

- Shear is a deformation of an elastic solid, but not of a fluid.
- How to get forces from deformations?
 - Displacement, strain, stress ⇒ continuum mechanics
- How to compute forces at particles?
 - Consider neighbors ⇒ Smoothed Particle Hydrodynamics

Particle Simulation

- How to find those neighbor particles?
 - Spatial data structures ⇒ space subdivision
- How to move the particles due to forces?
 - Acceleration is the time derivative of velocity is the time derivative of position ⇒ numerical integration

Continuum Mechanics - Example

– Handling of compression at a fluid particle



- Strain $\epsilon = \rho \rho_0$
- Stress $p=k\epsilon$
- Acceleration

$$\frac{\mathrm{d}\boldsymbol{v}}{\mathrm{d}t} = -\frac{1}{\rho}\nabla p$$

Deviation between actual density and rest density State equation

Navier-Stokes equation

UNI FREIBURG

SPH Fluid Solver

for all particle i do find neighbors jfor all particle i do $\rho_i = \sum_j m_j W_{ij}$ $p_i = k(\rho_i - \rho_0)$ for all *particle* i do $oldsymbol{a}_i^{ ext{nonp}} =
u
abla^2 oldsymbol{v}_i + oldsymbol{g}$ $egin{aligned} & oldsymbol{a}_i^{\mathrm{p}} = -rac{1}{
ho_i}
abla p_i \ & oldsymbol{a}_i(t) = oldsymbol{a}_i^{\mathrm{nonp}} + oldsymbol{a}_i^{\mathrm{p}} \end{aligned}$

Uniform grid (space subdivision)

Density (SPH) Pressure (continuum mechanics)

Non-pressure accelerations (SPH) Pressure acceleration (SPH)



for all particle i do

$$\boldsymbol{v}_i(t + \Delta t) = \boldsymbol{v}_i(t) + \Delta t \boldsymbol{a}_i(t)$$

$$\boldsymbol{x}_i(t + \Delta t) = \boldsymbol{x}_i(t) + \Delta t \boldsymbol{v}_i(t + \Delta t)$$

Velocity and position update (Numerical integration, Euler-Cromer)

SPH Discretizations

- Density computation $\rho_i = \sum_j m_j W_{ij}$
- Pressure acceleration $-\frac{1}{\rho_i}\nabla p_i = -\sum_j m_j \left(\frac{p_i}{\rho_i^2} + \frac{p_j}{\rho_j^2}\right) \nabla W_{ij}$
- Viscosity acceleration $\nu \nabla^2 \boldsymbol{v}_i = 2\nu \sum_j \frac{m_j}{\rho_j} \frac{\boldsymbol{v}_{ij} \cdot \boldsymbol{x}_{ij}}{\boldsymbol{x}_{ij} \cdot \boldsymbol{x}_{ij} + 0.01h^2} \nabla W_{ij}$
- Can also be used to compute forces in elastic or elasto-plastic solids

Neighbor Search





University of Freiburg – Computer Science Department – 35

UNI FREIBURG

Pressure Computation

- State equation (local) $p_i = k(\rho_i \rho_0)$
- Solving a pressure
 Poisson equation
 (global)
 - Matrix-free implementation

$$\nabla \cdot \mathbf{v}_i^* + \nabla \cdot \left(-\Delta t \frac{1}{\rho_i^t} \nabla p_i^t\right) = 0$$
$$\Downarrow$$

$$\begin{pmatrix} a_{11} & a_{12} & \dots & a_{1n} \\ a_{21} & a_{22} & \dots & a_{2n} \\ \vdots & \vdots & \ddots & \vdots \\ a_{n1} & a_{n2} & \dots & a_{nn} \end{pmatrix} \begin{pmatrix} p_1^t \\ p_2^t \\ \vdots \\ \vdots \\ p_n^t \end{pmatrix} = \begin{pmatrix} s_1 \\ s_2 \\ \vdots \\ s_n \end{pmatrix}$$

University of Freiburg – Computer Science Department – 36

FREIBURG

Boundary Handling

– Pressure forces preserve sample volumes



UNI FREIBURG

Boundary Handling



Band et al., Computer Graphics Forum, 2020. Cooperation with FIFTY2 Technology GmbH.

Numerical Integration

- Functions \boldsymbol{x}^t and \boldsymbol{v}^t represent the particle motion
- Initial values $oldsymbol{x}^{t_0}$ and $oldsymbol{v}^{t_0}$ are given
- First-order differential equations are given $\frac{\mathrm{d} \boldsymbol{x}^t}{\mathrm{d} t} = \boldsymbol{v}^t \quad \frac{\mathrm{d} \boldsymbol{v}^t}{\mathrm{d} t} = \boldsymbol{a}^t$
- How to estimate x^{t_0+h} and v^{t_0+h} ?



University of Freiburg – Computer Science Department – 39

FREIBURG

Fluids - SPH vs. MPM vs. FD

 All approaches compute velocity changes at sample positions, either static or advected



SPH



uses static and advected samples



Acceleration at static samples

FD

UNI FREIBURG



0

0

0

Ο

0

0

0

0

0

$$egin{aligned} rac{\partial oldsymbol{v}}{\partial t} &= oldsymbol{g} +
u
abla^2 oldsymbol{v} - rac{1}{
ho}
abla p \ -(oldsymbol{v} \cdot
abla) oldsymbol{v} \end{aligned}$$

Rigid Bodies

- Particles connected by springs with infinite stiffness
- Entire body described by one position and one orientation
- Forces at particles influence translation and rotation of the entire body
- Mass distribution, orientation, angular velocity, torque



Bounding Volume Hierarchies

- Alternative to space subdivision
- Useful for collision queries



Outline

- Introduction
- Organization
- Presentation
- Topics
- Summary

Summary

- Oral presentation of 25-35 min
- Written report of 10 pages
- Topics overview and presentation dates
 - https://cg.informatik.uni-freiburg.de/teaching.htm
 - Advanced Topics in Animation
 - Schedule / Topics